

www.masiyelabs.co.za

## Company Profile



## | About Us

Masiye Labs is a company that was established in July 2013 with the aim of meeting the requirements of Labs, manufacturing and chemical industries. Our foundation is based on understanding the unique needs of Laboratories and client satisfaction. We are one of the best Chemicals Suppliers, Reagents, Chemicals & Lab equipment in South Africa

Masiye Labs is a medium sized organization contributing immensely to the laboratory, chemical and manufacturing industry through prompt, precise and personalized client services.

#### **Vision**

To be the world of science powerhouse in the supply and distribution laboratory equipment, chemicals, reagents and consumables with a refreshing unique approach reaching SADC and the world

#### **Mission**

To be the preferred unique Supplier and Distributor in the world of science

#### **Our Promise**

Quality Products 8 Services Prompt & efficient services Consistent emphasis in putting the customer first.

Courteous, friendly staff

#### Motto

Going forward on the road to greatness.

**Values** 

-Acumen

-Precision

-courteous

-Premium

-Excellence

-Reliable

-Innovative



HI5522Laboratory Research Grade Benchtop pH/mV/ISE



HI2221-02 Calibration Check<sup>™</sup> pH/ORP/Temperature



The HI98198 Optical Dissolved Oxygen Meter makes measuring the concentration of dissolved oxygen hassle-free.





Biological safety cabinet 11231BBC86



-LCD-Display-Class-II-A2-Biosafety-Cabinet-with-Ce-Certified



Biobase-China- 30L, 50L, 75L, 100L, 150L -Vertical-Chemical-Pressure-Steam-Hospital-Autoclave-Sterilizer



Microprocessor controlled water bath



large-capacity-pulsevacuum-steam-sterilizer-1498120166-3078852



pH Meter



Alcoholmeter Hydrometers, Tripple Scale



Alcoholmeter Pyrometer 0- 100%



EINs-SCI Advanced Clinical Centrifuge E-C6-4.100CP









**BIOBASE Water Baths** 



HL-380P-80 AUTOMATIC STEAM AUTOCLAVE 603Lt HL-300 is a compact, portable sterilizer with large capacity. Can be operated on a table or any other steady surface. Designed for sterilization of wrapped or unwrapped instruments, liquids, cotton dressing, bandages or dentistry appliances



HL-350-167 VERTICAL TYPE STEAM AUTOCLAVE 167Lt HL-35O vertical type steam sterilizer has space-saving, easy operation, durable, large capacity... features. Designed for clinics & laboratories with versatile sterilizing needs & where objects are to be sterilized such as: test tubes, glassware, liquids, surgical instruments, human waste products etc.



HL-341 VERTICAL TYPE STEAM AUTOCLAVE 72Lt
HL-341 vertical type steam sterilizers have space-saving,
easy operation, durable, large capacity... features.
Designed for clinics and laboratories with versatile
sterilizing needs and where objects are to be sterilized
such as: test tubes, glassware, liquids, surgical



HL-340 VERTICAL TYPE STEAM AUTOCLAVE 49Lt HL-340 vertical type steam sterilizers have space-saving, easy operation, durable, large capacity... features. Designed for clinics and laboratories with versatile sterilizing needs and where objects are to be sterilized such as: test tubes, glassware, liquids, surgical instruments, garments, human waste products etc.



HL-326 TABLETOP STEAM AUTOCLAVE 35Lt
HL-326 tabletop steam sterilizers have convenient,
easy operation, reliable... features, combining high
capacity with cost efficiency and small external
dimensions. Design for efficient sterilization of heat
and moisture stable materials such as surgical
instruments, dressing, glass utensil, liquids etc.



HL-320 TABLETOP AUTOCLAVE 16Lt
HL-320 tabletop steam sterilizers have convenient,
easy operation, reliable... features, combining high
capacity with cost efficiency & small external
dimensions.Design for efficient sterilization of heat &
moisture stable materials such as surgical instruments,
dressing, glass utensil, liquids etc



#### **ASHING FURNACES**

- -1400°C, 1500°C or 1600°C maximum operating temperature.
- -3, 8, 15 or 35 litre chamber volumes.
- -Silicon carbide heating elements.
- -PID controller, with single ramp to set-point & process timer.
- -Controllers extend heating performance.
- -Hard wearing refractory brick hearth and door surrounds.
- -Low thermal mass chamber insulation.
- -Thermocouple type R.



#### **BOX CHAMBER FURNACES**

An economical furnace designed for light duty and general laboratory work. Low thermal mass insulation and multiple semi-embedded, free radiating wire wound elements in the chamber sides provide efficient heating.



#### **HEAVY DUTY FURNACES**

The MSF multi purpose furnace is bench mounted with a maximum temperature of 1200°C. It is available with chamber size of of 3.6 litre or 6.2 litre.



#### **DENTAL FURNACES**

Universal electrical furnaces are designed for burning of ceramics, china and stone mass, thermal processing of small metal particles in the ambience at the maximum temperature of 900°C, 1260°C, and 1340°C.



#### **TUBE FURNACES**

- -Maximum operating temperature of 1200°C
- -Tube diameters of 65, 75 and 100mm
- -Heated lengths of 550, 700 & 900mm
- Resistance wire heating element wound around a ceramic worktube
- -Rapid heat up to operating temperature



#### **OCTAGON D200 Digital**

- -Total operator control
- -Easily set to maximum efficiency
- -Non blinding sieving action
- -Compact
- -Portable
- -No mechanical moving parts



#### MINOR M200

- -Quiet operation
- -Compact
- -Portable
- -Maintenance free
- -Easy to use
- -Affordable



#### **TEST SIEVES**

Made to every National and International Standard CERTIFICATE OF COMPLIANCE supplied with every test sieve Individually numbered to provide full traceability. Each sieve is made under the most stringent quality control procedures using only the finest material



#### DIGITAL ULTRASONIC CLEANERS

- -Stainless steel surround
- -Stainless steel lid
- -Digitally adjustable timer
- -Digitally adjustable heater
- -Stainless steel basket included
- -230V supply



#### **COOLED BATHS**

- -Temperatures down to 20°C
- -Safety thermostat
- -Drain valve
- -Two year warranty



#### **TANKS**

- -Insulated
- -Two year warranty
- -TNK24 with Lid
- -Tank with controlle



#### **COOLING BATHS**

Sterile, individually packed membrane filters have long become standard for routine microbiological quality control because of the user benefits they offer. They are ready-to-use and save preparatory time, they avoid the possibility of contamination of remaining filters in opened packs and are GLP conform, having filter identification and lot number printed on each individual envelope.



#### **STEAMBATHS**

Cellulose acetate syringe filters are used for the filtration of volumes up to 100 ml. The syringe filters units are ideal for applications requiring maximum sample recovery such as: Tissue culture preparation, sterile filtration and clarification of biological fluids, specimen solutions, protein and enzyme filtration, hybridization buffers and other aqueous solutions.



#### **CIRCULATORS**

Micro Processor PID Controller Digital
Temperature indicator
Audio / Visual high alarm Thermostat
Controlled ModelTimer 1 to 9999 minutes
Adjustable pump flow rate Two year warranty



#### NANO LIFE SCIENCE SPECTROPHOTOMETER

- -Easy sample handling
- -Just 2µl sample Volume
- -No carry-over
- -No contamination
- -No cleaning required
- -Re-use sample
- -Budget or RNAse free tips
- -Same procedure for all



#### SCANNING SPECTROPHOTOMETER

- -Concentration and kinetic measurements
- -Spectrum Scanning from 198 to 1000 nm Uses pulsed Xenon lamp
- -Quantitation using up to 6 standards
- -200 method memory (50 per mode)
- -Leak detection
- -UHV
- -General R & D




# LIFE SCIENCE SPECTROPHOTOMETER The BOECO handheld Series Pipettor is an extremely easy-to-handle piston pipette which allows rapid repeat dispensing of pre-set volumes up to 48 times in succession without refilling.



#### **UV/VIS SPECTROPHOTOMETER**

The S-20 and S-22 are high quality, low cost measurement systems for routine analysis in QC applications, education and training.



#### **HOTPLATES HEAVY DUTY**

- -HD Tops up to 600x450mm
- -Asbestos free insulation
- -Energy control models up to 400°C
- -Thermostat models 50 to 310°C
- -Two year warranty



#### MINI HOTPLATE


- -Stainless Tops up to 180x180mm
- -Spillage lip (MPH180 models only)
- -Energy control models up to 420°C
- -Thermostat models 40 to 300°C
- -Two year warranty

## | Filter Papers



#### WHATMAN QUANTITATIVE FILTERS

Offers fine particle retention and high flow rate, as well as good loading capacity. Used for high-efficiency general purpose laboratory filtration, including water pollution monitoring of effluents, for filtration of water, algae and bacteria cultures, foodstuff analyses, protein filtration and radio-immunoassay of weak ß emitters.




#### **GLASS MICROFIBRE FILTERS**

Grade MGA – Highly efficient for general laboratory filtration, clarification of buffer and reagent solutions corresponds to many international standards for air and water pollution monitoring Grade MGC



#### **CELLULOSE EXTRACTION THIMBLES**

Grade 30 – extraction thimbles made of cellulose, are perfect sample reservoirs for Soxhlet extraction in quality control, research and/or analysis. Solvent extraction from solids and semi-solids can be carried out easily and reliably. The thimbles fit Soxhlet extractors and automatic extractors.



#### **GRIDDED MEMBRANE FILTERS**

Sterile, individually packed membrane filters have long become standard for routine microbiological quality control because of the user benefits they offer. They are ready-to-use and save preparatory time, they avoid the possibility of contamination of remaining filters in opened packs and are GLP conform, having filter identification and lot number printed on each individual envelope.



#### **SYRINGE FILTERS**

Cellulose acetate syringe filters are used for the filtration of volumes up to 100 ml. The syringe filters units are ideal for applications requiring maximum sample recovery such as: Tissue culture preparation, sterile filtration and clarification of biological fluids.

## | Glassware



#### **BOECO GLASSWARE**

**Beakers** 

**Erlenmeyer flasks** 

Round bottom flasks

Flat bottom flasks

Laboratory bottles

Blue screw cap (PP)

Blue pouring ring (PP)

Red screw cap (PBTB)

PTFE protected silicon seal

Red pouring ring (ETFE)

Filtering flasks

**Desiccators** 

**Desiccator plates** 

**Funnels** 

Reagent bottles

**Dropping bottles** 

Petri dishes petria

Watch glasses

Staining dishes

Staining jar

Staining glass box

Staining tray

Stainless steel handle

**BOECO** blood counting

#### chabers

**BOECO** haematology pipettes

Pasteur pipettes, sodaglass

**Graduated pipettes** 

Volumetric pipettes

**Test tubes** 

**Burettes** 



#### **GRADUATED GLASSWARE**

Volumetric pipettes

Graduated pipettes

Pycnometer acc. To gay

#### lussac

**Pycnometer** 

Measuring cylinder

Mixing cylinder

Sedimentation cones

Colour comparison tubes

Volumetric flasks

Separatina funnels

Dropping and separating

#### **funnels**

**Burettes** 

Schellbach burettes

Microburettes

**Automatic burettes** 

Reservoir bottles

Red rubber bulbs

Liebig condensers

Coiled condensers

Allihn condensers

Dimroth condensers

Jacket coiled condensers

Soxhlet extractors

Soxhlet extraction apparatus Soxhlet extractors

Weighing bottles

Erlenmeyer flasks

Stoppers

Flat bottom flasks

Round bottom flasks



#### **GRADUATED GLASSWARE**

Volumetric pipettes

Graduated pipettes

Pycnometer acc. To gay

#### lussac

**Pycnometer** 

Measuring cylinder

Mixing cylinder

Sedimentation cones

Colour comparison tubes

**Volumetric flasks** 

Separating funnels

Dropping and separating

#### **funnels**

Burettes

Schellbach burettes

**Microburettes** 

Automatic burettes

Reservoir bottles

Red rubber bulbs

Liebig condensers

Coiled condensers

Allihn condensers

Dimroth condensers

Jacket coiled condensers

Soxhlet extraction appa

Weighing bottles

**Erlenmeyer flasks** 

**Stoppers** 

Flat bottom flasks

## |Liquid Handling



SERIES PIPETTOR
The BOECO hand-held Series
Pipettor is an extremely
easy-to-handle piston pipette
which allows rapid repeat
dispensing of pre-set volumes up to
48 times in succession without
refilling.



PIPETTE TIPS/ AIDS
BOECO pipette filler balls
BOECO pipette pumps, pp
BOECO macro pipette controller
BOECO electronic macro pipet.





pipette, with tip ejector, fully autoclavable **BOECO SP series adjustable** volume pipette, with tip ejector, fully autoclavable **BOECO SP series multichannel** pipettes, with tip ejector fully autoclavable Rotary carousel stands Linear stands for micropipettes **BOECO** standard fixed volume pipette, with tip ejector **BOECO** standard adjustable volume pipettes, single and multichannel, with tip ejector **BOECO** electronic pipettes

**BOECO SP series fixed volume** 



BOTTLE TOP BURETTE
BOECO digital continuous
bottle-top burettes
BOECO digital continuous
bottle-top burettes
BOECO Digital Continuous
Bottle-Top Burettes, complete with
3 PP adapters 45/38, 38/32, 40/45
(45 thread at the burette), 1
telescopic intake tube (FEP)
telescopic titration tube,
micro-batteries 1,5 V (LR
without reservoir bottle.



DISPENSER
BOECO bottle-top dispenser
Accessories and spare parts

## | Measurement Instrument



BOECO HYDROMETERS
Density hydrometers
Universal-density hydrometers
Universal-hydrometers and
baumé-scale
ASTM E100 hydrometers
ASTM E100 soil-hydrometers
Brix-hydrometers
Lactometers
Thermo-lactometers
Thermo-alcoholometers
Baumé-hydrometers



#### **TIMER**

Mechanical timer
Mechanical stopwatch
Digital stopwatch
Digital timer
2-line digital timer, jumbo display
3-line digital timer, jumbo display



#### **THERMOMETERS**

Digital pocket thermometer
Digital waterproof thermometer
Digital min/max thermometer
Digital thermo- / hygrometer

## Microscopes



#### **BINOCULAR MICROSCOPES**

BOECO laboratory binocular microscope model BM-800

BOECO binocular microscope model BM-2000

BOECO binocular microscope model BM-180 SP

BOECO binocular microscope model BM-180/I/SP

BOECO binocular microscope model BM-300/I/SP

BOECO routine binocular microscope model BM-120

**BOECO** inverted biological microscope model BIB-100

**BOECO stereo microscope model BTB-3CA** 



#### **REFRACTOMETERS**

BOECO hand refractometer
Digital hand refractometer
Digital mini refractometer
BOECO ABBE refractometer
BOECO digital ABBE refractometer



#### STUDENT MICROSCSOPES

BOECO student microscopes, model BM-117
BOECO student monocular microscope, model 10



#### STEREO MICROSCOPES

BOECO zoom stereo microscope model BTB-3A BOECO zoom stereo microscope model BST-606

## | Consumables

#### **BURNERS**

**Bunsen Burner Teclu Burner** Safety Burner Meker Burner – All Gases Cartridge Burner – DIN type Teclu Burner for Cartridge **Bunsen Burner for Cartridae** Micro Burner for Cartridge **High Temperature Burner for** Cartridge

#### **BURNER ACCESSORIES**

**BCartridge Burner with safety** element DIN Type Cartridge **Spirit Burner** 

Burnerhead **Tubing Clamps** 

Safety Tubing for gas burners

**Safety Tubing** Gas Lighter 155mm Gas Lighter 220mm

#### **FORCEPS**

Straight blunt points Straight fine points **Curved blunt points Curved fine points Forceps for Cover Glasses** Stainless steel length 105mm

self-cocking

Nickel plated brass length

100mm

**Weight Forceps** 

**Forceps** 

#### PIPE CONNECTORS

Boss-head, Zinc Die-casting Powder-coated Natural Zinc Die-casting Nickel Plated Boss-head, Stainless Steel Cross Boss-head Boss-head, Swivel Type Sleeve **Suspension Hook** Boss-head, Multi-purpose

Boss-head, Globular

Boss-head, Aluminium Alloy **Universal Boss-head** 

**Hook Connector** 

#### **BASES & ACCESSORIES**

**Retort Strand Base** 

Retort Strand Base, Stainless Steel

Retort Strand Base, Tripod shape

Retort Strand Base Duo Retort Base H-Shape

**Table Clamp** Table Clamp great Retort Strand Base

Cylinder Holder for gas cylinders

Rods

**Extension Connector** 

Cup Nut **Extension Rods** 

#### **CLAMPS**

Clamp

Clamp with Boss-head

Boss. flexible

Clamp, flexible with boss-head, swivel type

Clamp, flexible with thread M10

Three Prong Clamp Condenser Clamp Rubber Belt Clamp Chain Clamp **Burnett Clamp** 

Ring

Ring with Boss-head

#### **SPATULAS**

Micro Double Spatula Double Spatula **Double Spatula for Mortars Powder Spatula** Micro Spatula Spoon Spatula Spoon **Double Spoon** Spoon, open Sodium Spoon **Deflagration Spoon** Ladle Spatula

#### **SCISSORS**

Microscopic Scissors **Dressing Scissors Laboratory Scissors Universal Scissors** 

#### **CONTAINERS / STAINLESS STEEL**

Beaker **Dressing Jar** Bowl Measure **Funnel Bucket Instrument Tray** Instrument Case **Drip Pant Evaporating Dish** Brush

#### SCOOPS

Weighing Scoop, nickel plated **Vibration Spatula** 

Weighing Scoop, stainless steel,

185mm

Weighing Scoop, stainless steel,

200mm

Weighing Scoop, aluminium Scoop

#### **TONGS**

**Crucible Tongs Beaker Tongs** Flask Tonas **Tube Tongs** 

#### **PUMPS**

**Water Jet Pump** Vacuum Gauge

Rapid action hose for water jet pump

## Dry & Wet Chemicals

#### STANDARD SOLUTIONS, BUFFETS, ACIDS & INDICATORS

1-NapthylethyleneDiamine Dihydrochloride(NED)

4-Aminoantipyrine/4-Aminophenazone

AceticAcid(Glacial)

Acetone

Aluminium-1000ppmSolution Ammoniumbicarbonate AmmoniumChloride

**AmmoniumFerrousSulphate** 

Ammoniumhydroxide

AmmoniumMolybdateTetrahydrate AmmoniumPhosphateDibasicHydrate

Ammonia Solution 25% Ammonium Sulphate

Antimony-1000ppmSolution AntimonyPotassiumTartrate Arsenic-1000ppmSolution

**Ascorbic Acid** 

Barium-1000ppmSolution BariumChlorideDihydrate

BDH4.5indicator

Beryllium-1000ppmSolution

Bioindicatorsforautoclaving121°C

Bismarkbrown BoilingStone 4,8mesh BoricAcid

CadmiumGranules
CompatiblewithLachat.
Calcium–1000ppmSolution

Calciumchloride

CDTA(1.2-cyclohexylenedinitrilo-tetraacetic

acidmonohydrate) CesiumChloride

Chromium–1000ppmSolution Cobalt–1000ppmSolution

CODVials0-150mg/Icompatiblewith

**HACHspectrophotometer** 

Colilert(18hr)

Colilert(200Drinkingwater)

Colilert(2000)

ComparatorforQ-tray2000

**Pseudolert** 

Chlorinesolutionampules50-75mg/l ConductivitySolution 1000uS/cm ConductivitySolution 1413uS/cm Boron-1000ppmSolution

BufferSolutionpH 2
BufferSolutionpH4
BufferSolutionpH7
BuffersolutionpH9
BuffersolutionpH10
BuffersolutionpH12

pHstandardizationbuffer pHstandardizationbuffer pHstandardizationbuffer Cadmium-1000ppmSolution

**MethylOrange** 

Methylatedspirits, coloured

Methyleneblue

Molybdenum-1000ppmSolution Microgranularcellulosepowder N-AllylthioureaNitrificationinhibitor N,N-dimethyl anaphthylamine

NaCl

Sodiumchloride

Nickel-1000ppmSolution

NitricAcid concentrated

NitricAcid65% fortrace analysis

**Oxidasestrips** 

QxygenprobesolutionforY\$15775servicekit

**Pentasodiumtriphosphate** 

**Pepsin** 

PerchloricAcid PetroleumEther

40-60°C

Permachemchromiumreagentfor25mlsample Chromaver3(compatiblewithHACHDR2000)

Phenol 85% PhenolRed

Phenolphthaleinbiphosphatetetrasodiumsalt

Phenolphthaleinindicator Phosphatefreeliquidsoap

PhosphoricAcid
Orthophosphoricacid85%

Phosphorus- 1000ppmSolution

## Dry & Wet Chemicals

#### STANDARD SOLUTIONS, BUFFETS, ACIDS & INDICATORS

Potassium-1000ppmSolution

PotassiumChloride PotassiumDichromate

Potassium Dihydrogen Orthophosphate

Potassiumdihydrogenphosphate

**PotassiumFerricyanide** 

 ${\bf Potassium Hydrogen Pthalate}$ 

Potassiumhydroxidesolution45%forBOD

Glycerol Glycine

Gram'slodineSolution

**HyamineSolution** 

0.064M

**HydrazineSulphate** 

HydrochloricAcid32%

Hexamethylentromin

 $Indoxyl\text{-}\beta\text{-}D\text{-}glucoside$ 

**lodine** 

Iron-1000ppmSolution

LanthanumOxide

Lead-1000ppmSolution

Magnesium-1000ppmSolution

Magnesiumchloride

Magnesiumsulphate

Manganese-1000ppmSolution

C14H22N2O8.H2O SodiumCarbonate

SodiumChloride

SodiumDichloroisocyanurate

SodiumFluoride

SodiumHexameta-Phosphate

SodiumHydrogenCarbonate

SodiumHydroxide(pellets)

SodiumHypochlorite15%

Sodiumlactatesolution 60%

SodiumNitroprusside

Sodiumphosphatedibasicdihydrate

**SodiumSalicylate** 

Sodiumsulphate

**SodiumSulphateanhydrous** 

SodiumThiosulphate

SodiumThiosulphateSolution0.1N

Sodiumtripolyphosphate

SolubleStarch

Strontium-1000ppmSolution

Sulphanilamide

Sulphanilic

Sulphuric Acid 98%

ConductivitySolution 5000uS/cm

ConductivitySolution 10000uS/cm

Copper-1000ppmSolution

**CopperSulphate** 

Chloroform

Cyanide1000ppmSolution

**D-galactose** 

di-AmmoniumHydrogenOrthophosphate

**DichloromethaneHPLC** 

di-Potassiumhydrogenphosphate

**Disodiumhydrogenphosphate** 

DimidiumBromide-disulphineblue

DPDfreechlorinereagentfor25mlforHACH

DPDtotalchlorinereagentfor25mlforHACH

Sodiumdodecylsulphate

Ethanol70%

Ethanol96%

EthyleneDiamineTetra-AceticDi-Sodium

Salt.2Hydrate (EDTA)

Ferricchloridehexahydrate(IronIII)

**FerricIIINitrate** 

Nona-hydrate

**FuorideElectrodeFillingSolution** 

Whatman(41)Ashless

## |Lab Instruments

#### Ph Meters

MODEL: 8601

Dual LCD display shows pH/ oC & oF or mV/ oC & oF.

Automatic Temperature Compensation assures that all readings

are corrected to compensate for the effect of temperature.

Hold, Max / Min, Record features.

Low battery indicator.

Auto power off after: 20 m inutes.Di sablemo de. Manual temp. compensation by external probe. Calibration up to 3 points (pH 4.01, 7.00, 10.00). BNC connector for pH electrodes w/ 1 meter length.

Mini-phone jack for Temp. Compensation probe.

Meter includes hard ABS case, battery, pH buffersolutions (4.01, 7.00, 10.00)

each 30ml and manual.

Serial format: 2400 Baud rate , 1 Stop bit,8 Data bits. TXXX.XF, XX.XpH ,TXXX.XC, XX.XmV

Applications include: Pools, Spas, Aquariums, Labs, Aquaculture, Sanitation plants,

Car washes, hydroponics, Water & Wastewater treatment and Boilers / Steam generator maintenance.

#### **SPECIFICATION**

pH range: 0.00~14.00. pH resolution: 0.01 pH pH accuracy: 0.02 pH mV range: -499~+499mV

mV resolution:
0.1mV (0.1~195.0) or
1mV (190~499).
mV accuracy:
0.2mV (0.1~195) or
2mV (190~499).

Optional RS232 software with CDR & PC Cable Operating Temp.: 0~50 oC(32~1220F), M ax.80%RH

Input Impedance: 1012 ohms.

Temperature compensation: -5~80oC Accuracy: 0.3oC

Optional accessories: (pH electrode) AZ86P2 – Epoxy-body w/o ATC. AZ86P3 – Epoxy-body with ATC.



#### **Z8601 AT A GLANCE**

Dual display ph/mv & temperature! Automatic temperature compensation! Collect data via linking with a pc! Backlight display for use in dark areas!